



HCT Products Promote Efficiency and Aseptic Technique

HCT is pleased to have partnered with leading vascular companies that align with our value based model. Please contact us to learn more about how our portfolio is delivering exceptional clinical outcomes and providing cost savings.

Talk to your sales rep about product programs and availability.

Table of Contents

Page 3-7 Nexus Needleless Connectors & Extension Set	Page 3-7	Nexus Needleless (Connectors 8	a Extension Set
--	----------	--------------------	--------------	-----------------

Page 8-9 Nexus TKO Manifold Components

Page 10 Nexus Blood Collection & Accessories

Page 11 HCT Dial-A-Flow

Page 12-13 StatSeal Hemostatic Products

Page 14 HCT Custom Vascular Access Kits

Page 15 HydroSeal

Page 16 PFM Medical primeMIDLINE & primePICC

Page 17 BD MiniLoc® Safety Infusion Set

Page 18-19 HCT Peristaltic Pump Sets & Single-Use Systems (SUS)

Page 20 Moog CURLIN Ambulatory Infusion Pumps

Page 21-22 HCT CURLIN Administration Pump Sets

Page 23 BD PosiFlush™ Saline & Heparin Syringes

Page 24 Orchid SRV (Safety Release Valve)

Page 25 Galt Vascular & Interventional Medical Devices



Improves Patient Safety while Reducing Costs and Complications

Natural rubber latex is not used in the manufacturing of these products and tubing sets do not contain DEHP.



Nexus TKO®-6P Anti-Reflux Needless Connector

- Reduce the risk of unintentional blood reflux into your patient's catheter upon syringe connection/disconnection, when the IV bag runs dry, patient movement, etc.
- Reduce the risk of intraluminal thrombotic catheter occlusions
- Reduce the overuse of CathFlo/tPA associated with increased CLABSIs and costs
- · Extend catheter dwell time

- No clamping sequence is required; No change in practice
- Up to 7 day use; use as directed in your facility's protocol
- Design facilitates aseptic technique
- Power injectable to 10 mL/second or 325 psi
- Clear, direct, rigid, internal fluid pathway provides easy visual assessment

	Order No.	Bonded	Pressure Rated	Rotating Male Luer	Clamp	APV	Qty
Nexus TKO®-6P Luer-Activ	vated Device						
	NX4650	N/A	325 psi	N/A	N/A	0.13mL	100/CS
6" Microbore Extension Se	t with Novus TKO®-SD						
O MICHODOLE EXTENSION SE	t with nexus TRO -OP						
pinch clamp	N4685MP-B	Yes	325 psi	Yes	Pinch	0.4mL	100/CS
рінен сіаттр	N4685MP	No	325 psi	Yes	Pinch	0.4mL	100/CS
slide clamp	N4685MN-B	Yes	325 psi	Yes	Slide	0.4mL	100/CS
	N4685MN	No	325 psi	Yes	Slide	0.4mL	100/CS

			Pressure	Rotating			
	Order No.	Bonded	Rated	Male Luer	Clamp	APV	Qty
6" Standard Bore Extension	on Sat with Navys TVO®	-CD					
6 Standard Bore Extension	on Set with Nexus TKO*-	-6P					
	N4685P-B	Yes	325 psi	Yes	Pinch	0.72mL	100/CS
pinch clamp	N4685P	No	325 psi	Yes	Pinch	0.72mL	100/CS
slide clamp	N4685N-B	Yes	325 psi	Yes	Slide	0.72mL	100/CS
	N4685N	No	325 psi	Yes	Slide	0.72mL	100/CS
6" Microbore Extension Se	t with Nexus TKO®-6P						
slide clamp	N4695MN-B	Yes	325 psi	Yes	Slide	0.4mL	100/CS
side damp	N4695MN	No	325 psi	Yes	Slide	0.4mL	100/CS
15" Microbore Extension Set with Nexus TKO®-6P							
10 THE ODO! C EXCENSION OF	or with the xab file of						
ningh alama	N4683P-B	Yes	No	No	Pinch	0.45mL	100/CS
pinch clamp	N4683P	No	No	No	Pinch	0.45mL	100/CS
6" Microbore Bifurcated Ex	rtension Set with (2) Ne	viie TKO®-6	SD				
O Trici obore Birdi cated Ex	cterision set with (L) ive	AUS TRO	<u> </u>				
	N4690MN-B	Yes	No	Yes	Slide	0.4mL	100/CS
slide clamp	N4690MN	No	No	Yes	Slide	0.4mL	100/CS
6" Microbore Bifurcated Ex	rtension Set with (2) Ne	vue TKO®-6	SP and Pow	er			
O Trici obore Birdi cated Ex	cterision set with (L) ive	AUS TRO	or and row	<u>C1</u>			
The state of the s	N4691MN-B	Yes	Yes	Yes	Slide	0.4mL	100/CS
slide clamp	N4691MN	No	Yes	Yes	Slide	0.4mL	100/CS
6" Standard Bore Bifurcate	ad Extension Set with (3	D) Noves Tu	′O®-6D ~~~	Power			
o Standard Bore Biturcat	eu Extension Set with (2	z) Nexus IK	Oor and	rower			
The state of the s	N4691N-B	Yes	Yes	Yes	Slide	1.06mL	100/CS
slide clamp	N4691N	No	Yes	Yes	Slide	1.06mL	100/CS
,							

	Order No.	Bonded	Pressure Rated	Rotating Male Luer	Clamp	APV	Qty	
Nexus TKO®-6PHV Hi-Visibility Luer-Activated Device								
	NX4650HV	N/A	325 psi	N/A	N/A	0.13mL	100/CS	
7" Microbore Extension Set with Nexus TKO®-6PHV Hi-Visibility								
pinch clamp	N4685MPHV	No	No	Yes	Pinch	0.32mL	100/CS	
15" Microbore Extension Set with Nexus TKO®-6PHV Hi-Visibility								
	N4683PHV-B	Yes	No	No	Pinch	0.45mL	100/CS	
pinch clamp	N4683PHV	No	No	No	Pinch	0.45mL	100/CS	
Nexus NIS®-6P Series								
	Order No.	Bonded	Pressure Rated	Rotating Male Luer	Clamp	APV	Oty	
Nexus NIS®-6P Luer-Activ	ated Device							
	N6500	N/A	325 psi	N/A	N/A	0.08mL	100/CS	
6" Microbore Extension Set w/ Nexus NIS®-6P								
	N6966MP-B	Yes	325 psi	Yes	Pinch	0.3mL	100/CS	
pinch clamp	N6966MP	No	325 psi	Yes	Pinch	0.3mL	100/CS	
	N6966MN-B	Yes	325 psi	Yes	Slide	0.3mL	100/CS	
slide clamp	N6966MN	No	325 psi	Yes	Slide	0.3mL	100/CS	

	Order No.	Bonded	Pressure Rated	Rotating Male Luer	Clamp	APV	Qty
6" Standard Bore Extension	on Set w/ Nexus NIS®-6I	P					
	N6966P-B	Yes	325 psi	Yes	Pinch	0.3mL	100/CS
pinch clamp	N6966P	No	325 psi	Yes	Pinch	0.3mL	100/CS
	NOOCON D	\ /	005		CI: I	0.0	100/00
slide clamp	N6966N-B N6966N	Yes No	325 psi 325 psi	Yes Yes	Slide Slide	0.3mL 0.3mL	100/CS 100/CS
	11030011	110	0L0 p3i	103	Silde	0.5IIIL	100/03
8" Minibore Extension Set	w/ Nexus NIS®-6P						
	N6980N-B	Yes	No	No	Slide	0.38mL	100/CS
movable slide clamp	N6980N	No	No	No	Slide	0.38mL	100/CS
15" Microbore Extension Se	et w/ Nexus NIS®-6P						
pinch clamp	N6983P-B	Yes	No	No	Pinch	0.4mL	100/CS
рпенемпр	N6983P	No	No	No	Pinch	0.4mL	100/CS
7" Microbore Bifurcated Ex	rtension Set w/(2) Nevi	ıc NIS®-6D					
7 Pile obol e Birdi cated Ex	tterision Set w/ (E/ Next	25 TAIS OF					
	N6976MN-B	Yes	No	Yes	Slide	0.34mL	100/CS
slide clamp	N6976MN	No	No	Yes	Slide	0.34mL 0.34mL each leg	100/CS
7" Standard Bore Bifurcate	ed Extension Set w/(2)	Nexus NIS®	9-6P			0.04mE ederneg	
	N6976N-B	Yes	No	Yes	Slide	1.0mL	100/CS
slide clamp	N6976N	No	No	Yes	Slide	1.0mL 1.0mL each leg	100/CS
4" Bifurcated Extension Se	et 4" (4" Minibore Tubing	w/blue/w	hite clamp)				
	P0040N			Yes		0.2mL	100/CS

Order No.	Description	Bonded	Pressure Rated	Rotating Male Luer	Clamp	APV	Qty
N0002	7" Microbore Extension Set	N/A	No	No	Slide removable	0.2mL	100/CS
N0003	12" Microbore Extension Set	N/A	No	No	Slide removable	0.3mL	100/CS
N0006	36" Microbore Extension Set	N/A	No	No	Slide removable	0.8mL	100/CS
N0007	60" Microbore Extension Set	N/A	No	No	Slide removable	1.2mL	100/CS
N1602	60" Minibore Extension Set	N/A	No	No	Slide removable	2.0mL	100/CS
N1151	15" Microbore Extension Set	N/A	No	No	Pinch	0.4mL	100/CS
N0008	60" Ultra-Microbore Extension Set	N/A	No	No	No Clamp	0.4mL	100/CS
N1602A	60" Minibore Extension Set	N/A	No	No	Slide	2.0mL	100/CS
N1081	7" Microbore Extension Set with .2		_	No	are Not Bon Slide	0.44mL	100/CS
N1081	7" Microbore Extension Set with .2	2 Micron F	-ilter	No	Slide	0.44mL	100/CS
N1082	60" Ultra-Microbore Extension Set	with .22	Micron Filte	er No	Slide	0.65mL	100/CS
N1083	60" Minibore Extension Set with 1.	2 Micron F	ilter	No	Slide	2.3mL	100/CS
N0080	8" Standard Bore Extension Set w	ith .22 Mic	ron Filter	Yes	Slide	3.5mL	50/CS
N0086	8" Standard Bore Extension Set w	ith 1.2 Micr	on Filter	Yes	Slide	3.5mL	50/CS
N0080A	8" Standard Bore Extension Set w	ith .22 Mic	ron Filter	Yes	Slide	3.5mL	50/CS
N0086A	8" Standard Bore Extension Set w	ith 1.2 Micr	on Filter	Yes	Slide	3.6mL	50/CS

Nexus TKO-6P 2-Way Manifold Component

- · Low Volume Needle Free Device
- Tri-Seal Design provides Microbial Ingress Protection 24/7
- Multi-Medication Delivery Platforms eliminate Stop Cocks
- 2-Way TKO Diaphragm Provides Blood Sampling Port
- TKO Diaphragm provides:
- Bi-Directional Flow Control 24/7
- Blood Reflux Protection 24/7



2-Way Needle Free



	Order No.	Description	Qty
	N3560	2-UP, 2-way, 8" Tubing Set = 0.9 mL 0.10 X 2 = 0.20 mL = 0.9 mL Total: 0.20 + 0.9 = 1.10 mL	50/CS
- 110-	N3561	3-UP, 2-way, 10" Tubing Set = 1.0 mL 0.10 X 3 = 0.30 mL Total: 0.30 + 1.0 = 1.30 mL	50/CS
	N3574	4-UP, 2-way, 10" Tubing Set = 0.9 mL 0.10 X 4 = 0.40 mL Total: 0.40 + 0.9 = 1.30 mL	50/CS
	N3576	6-UP, 2-way, 10" Tubing Set = 1.0 mL 0.10 X 6 = 0.60 mL Total: 0.60 + 1.0 = 1.60 mL	50/CS

Nexus Medical Products

Nexus TKO 1-Way Manifold Component

Nexus TKO-6P Closed Multi-Medication Delivery System allow the concomitant delivery of multiple medications into a single Multi-Channel Manifold Extension Set.

- Low Volume Needle Free Device
- Designed for Narcotic Anesthesia
- Multi-Drug Delivery Platform Eliminate Stop Cocks
- 1-Way TKO Diaphragm Reduces Drug Mixing in Lines
- Fit all ISO Female Luers



1-Way Female Needle Free



	Order No.	Description	Qty
	N3560-1W	2-UP, 1-way, 8" Tubing Set = 0.9 mL 0.07 X 2 = 0.14 mL = 0.9 mL Total: 0.14 + 0.9 = 1.04 mL	50/CS
- 1110-	N3561-1W	3-UP, 1-way, 10" Tubing Set = 1.0 mL 0.07 X 3 = 0.21 mL Total: 0.21 + 1.0 = 1.21 mL	50/CS
	N3574-1W	4-UP, 1-way, 10" Tubing Set = 0.9mL 0.07 X 4 = 0.28 mL Total: 0.28 + 0.9 = 1.18 mL	50/CS
	N3576-1W	6-UP, 1-way, 10" Tubing Set = 1.0 mL 0.07 X 6 = 0.42 mL Total: 0.42 + 1.0 = 1.42 mL	50/CS

Nexus Medical Products



Order No.	Descriptions	Qty
N9902R	Red End Cap Male/Female	200/CS
N9902B	Blue End Cap Male/Female	200/CS

Blood Collection Products							
	Order No.	Descriptions	Qty				
	BD6010	Blood Collection Assembly with Male Luer Lock	200/CS				
	BD6018	Blood Transfer Assembly with Female Luer Lock	200/CS				
	BD9001	Single Entry Trifurcated Blood Sampling Set with Pinch Clamp and Rotating Male Luer	100/CS				





Disposable, Single-Use HCT Dial-A-Flow

- 28.2 ml priming
- Universal ABS+PVC Spike & Drip Chamber
- Dial-Type ABS Flow Regulator



Order No. Features Qty

HCT100DFSDM



- 1. Universal ABS+PVC Spike & Drip Chamber
- 2. ABS Upper Pinch Clamp
- 3. Dial-Type ABS Flow Regulator

- 4. Rotating Make Luer Lock
- 5. Non-DEHP PVC Tubing

HCT100DFSDM-F



- 1. Universal ABS+PVC Spike & Drip Chamber
- 2. ABS Upper Pinch Clamp
- 3. Dial-Type ABS Flow Regulator

- 4. Rotating Make Luer Lock
- 5. Non-DEHP PVC Tubing
- . . . - -..

10/CS

10/CS

6. Acrylic 0.2µ Filter

HCT100DFSDM-FNY



- 1. Universal ABS+PVC Spike & Drip Chamber
- 2. ABS Upper Pinch Clamp
- 3. Dial-Type ABS Flow Regulator
- 4. Rotating Make Luer Lock

- 5. Non-DEHP PVC Tubing
- 6. Acrylic 0.2µ Filter
- 7. Needle-Free Y-Site

10/CS

HCT100DFSDM-NY




- 1. Universal ABS+PVC Spike & Drip Chamber
- 2. ABS Upper Pinch Clamp
- 3. Dial-Type ABS Flow Regulator
- 4. Rotating Make Luer Lock
- 5. Non-DEHP PVC Tubing
- 6. Needle-Free Y-Site

10/CS

StatSeal Product Offering

StatSeal hemostatic products are available in both powder and disc (compressed disc) form to meet a wide variety of bleeding control needs.



StatSeal StatSeal StatSeal Discs StatSeal Powder **Advanced Powder Advanced Discs** For Indwelling For Indwelling Catheters For Large Bore Catheters For Sheath Catheters & Procedural Sites or Multiple Catheters & Catheter Removals Ideal For: Ideal For: Vascual Access **Interventional Cardiology** STATSEAL and/or and/or Interventional Radiology Interventional Radiology



StatSeal Disc Products

- For temporary external control of bleeding from indwelling catheters
- Disc sizes ranging from Extra Small to Extra Large fit a full range of catheters from ~1 Fr 18 Fr

Order No.	Disc Size	Center Hole Fits Catheter Sizes:	Qty	Order No.	Disc Size	Center Hole Fits Catheter Sizes:	Oty
DT613	Extra Small	No Center Hole	6/CS	DT623	Extra Small	No Center Hole	24/CS
DS614	Small	~2.6-6 FR	6/CS	DS624	Small	~2.6-6 FR	24/CS
DM615	Medium	~6-9 FR	6/CS	DM625	Medium	~6-9 FR	24/CS
DL616	Large	~10-14 FR	6/CS	DL626	Large	~10-14 FR	24/CS
DX617	Extra Large	~15-18 FR	6/CS	DX627	Extra Large	~15-18 FR	24/CS



StatSeal Powder

- · For temporary external control of bleeding from indwelling catheters and procedural sites
- New easy-pour tubes dispense an improved powder that adheres better to the site
- Can be used with or without the foam ring/ powder containment device

Order No.	Description	Qty
LP606	Powder	6/CS
LP636	Powder	24/CS



StatSeal Advanced Powder

- For temporary external control of bleeding from large bore catheters or multiple catheters
- Easy-pour tubes dispense an improved powder that adheres better to the site
- Tube contains enough powder for multiple sites
- Can be used with or without the foam ring/powder containment device

Order No.	Description	Oty
LP607	Advanced Powder	6/CS
LP637	Advanced Powder	24/CS







StatSeal Advanced Disc Products

- · For temporary external control of bleeding from sheath and catheter removals
- Three StatSeal® Advanced Disc shapes and sizes to suit a wide variety of clinical applications

Order No.	Description	Size	Oty
DA618	Advanced Disc	0.55" Ø	6/CS
DA628	Advanced Disc	0.55" Ø	24/CS
DAP619	Advanced Plus Disc	0.87" Ø	6/CS
DAP629	Advanced Plus Disc	0.87" Ø	24/CS
DAR620	Advanced RAD Disc	0.94"x0.47"	6/CS
DAR630	Advanced RAD Disc	0.94"x0.47"	24/CS



HCT Can Meet Your Complex Kit Configuration Needs

HCT is available for consultation to meet your custom vascular access kit requirements.



Let Us Show You Our Customization Capabilities, Contact Your Local Sales Rep

Build your own custom vascular access kit with any of the options shown. If you're looking for more customization, please contact your local sales rep.



	HCT Chemotherapy Spill Kit	
Order No.	Description	Oty
НСТ2057-2	Chemotherapy Spill Kit Includes: 2 Chemo Gloves; 1 Chemo Bag; 1 Chemo Absorbent Pad	20/CS

Here is an example of some products often found in custom vascular access kits.

Additional products are available, simply contact your sales rep to build your customized solution today.

Maximal Sterile Barrier

- ☐ Sterile Gown
- ☐ Sterile Gloves
- ☐ Full Body Fenestrated Drape
- ☐ 2-Face Masks
- Bouffant Cap

Skin Prep

- ☐ ChloraPrep® 3 mL Clear
- ☐ ChloraPrep® 3 mL Tint

Dressings

- □ Roll Surgical Tape
- □ 10 Gauze Pads, 4" x 4"
- □ 5 Gauze Pad, 2" x 2"
- ☐ Tegaderm® Self Adhesive Dressing

Additional Kit Components

- ☐ 1 Room Stop Sign
- □ 1 Towel, Absorbent
- □ 1 Tourniquet
- □ 2 Tape Measures
- □ 1 5 mL Syringe
- ☐ 1 Ultrasound Gel
- ☐ 1 Probe Cover
- ☐ 1 5 mL Lidocaine Ampule (1% HCL)
- □ 1 Filter Straw 4"
- □ 1 25G x 0.625" (15.875 mm) Safety Needle
- □ 1 Lidocaine Label
- ☐ 1 Scissors
- ☐ 3 Syringe, Sodium Chloride

Shower Protection that Meets CDC Guidelines


HydroSeal is a clinically proven product offering of disposable Shower Barriers and Cast Covers that help prevent infections of IV Sites and Wounds.

- · Keep PICC lines, IV sites, dressings and casts dry during showering
- Single-use disposable barrier with waterproof/leakproof design
- Reduce costs & the risk of infection
- Quick and easy application with performance enhanced tabs





		HydroSeal Glove/Sleeve and Boot	
Order No.	Size	Description	Qty
HSGS-100	N/A	Glove/Sleeve w/Strap for Arm and Hand sites	300/CS
HSBT-100	N/A	Boot w/Strap for Leg and Foot sites	300/CS



HS7x9 Flex:



		HydroSeal with Adhesive Borders	
Order No.	Size	Description	Qty
HS5x5	5"x5"	Ports, Transdermal Patches, Implanted Patches	980/CS
HS7x7	7"×7"	Ports, Peripheral IV's, Dialysis Catheters	980/CS
HS7x9 Flex	7"×9"	PICC Lines, IJ Catheters, Dialysis Catheters	980/CS
HS9x9	9"x9"	PICC Lines, IJ Catheters	980/CS
HS10x12	10"x12"	PICC Lines, Hip, Shoulder, or Knee Incisions	490/CS
HS12x14	12"x14"	Large Dressings, Ostomies, Hip Shoulder Incisions	490/CS
HS12x24	12"x24"	Large Incisions, Abdominal	490/CS
HS7x22	7"x22"	Back Incisions	490/CS



Pro-Net Tubular Gauze, Catheter Maintenance and Comfort					
Order No.	Size	Description	Oty		
2GPN6	6	Precut Tubular Gauze, 8"	500/CS		
2GPN6-10	6	Precut Tubular Gauze, 10"	500/CS		
2GPN7-10	7	Precut Tubular Gauze, 10"	500/CS		

Basic & MAX Barrier Kits Available

- All midlines & piccs are available in 3,4, and 5 French configurations
- Single, Dual, Triple lumens offerings available



primeMIDLINE™	PFM Medical primeMIDLINE™ Catheters						
Order No.	Lumens	French Size	Catheter Length	Lumen Gauge	Max CT Rate (ml/sec)	Max Pressure (psi)	Qty
PFM3SML20	Single	3F	20cm	19G	5.0	300	5/CS
PFM4SML20	Single	4F	20cm	18G	7.0	300	5/CS
PFM5SML20	Single	5F	20cm	17G	7.0	300	5/CS
PFM5DML20	Dual	5F	20cm	18G/18G	7.0	300	5/CS

prime PICC°		PFM Medic	al primePICC™	Catheters		
Order No.	Configurations	Lumens	French Size	Lumen Gauge	Max Flow Rate (ml/sec)	Oty
PFM2CT3S	Basic Kits	Single	3F	21G	5.0	5/CS
PFM2CT4S	Basic Kits	Single	4F	19G	5.0	5/CS
PFM2CT5S	Basic Kits	Single	5F	17G	5.0	5/CS
PFM2CT4D	Basic Kits	Dual	4F	20G/20G	4.0	5/CS
PFM2CT5D	Basic Kits	Dual	5F	19G/19G	5.0	5/CS
PFM2CT5T	Basic Kits	Triple	5F	22G/19G/22G	5.0	5/CS
PFM2CT3SN	Nursing Kits	Single	3F	21G	5.0	5/CS
PFM2CT4SN	Nursing Kits	Single	4F	19G	5.0	5/CS
PFM2CT5SN	Nursing Kits	Single	5F	17G	5.0	5/CS
PFM2CT4DN	Nursing Kits	Dual	4F	20G/20G	4.0	5/CS
PFM2CT5DN	Nursing Kits	Dual	5F	19G/19G	5.0	5/CS
PFM2CT5TN	Nursing Kits	Triple	5F	22G/19G/22G	5.0	5/CS
PFM2CT3SL	Over-the-Wire Kits	Single	3F	21G	5.0	5/CS
PFM2CT4SL	Over-the-Wire Kits	Single	4F	19G	5.0	5/CS
PFM2CT5SL	Over-the-Wire Kits	Single	5F	17G	5.0	5/CS
PFM2CT5DL	Over-the-Wire Kits	Dual	5F	19G/19G	5.0	5/CS
PFM2CT5TL	Over-the-Wire Kits	Triple	5F	22G/19G/22G	5.0	5/CS

MiniLoc® Kits With or Without Y-Site

The MiniLoc™ Safety Infusion Set's low profile and small footprint design make it the ideal needle for dressing the access site. The small size of the needle and the downward angle of the tubing coming off of the back of the device help to maintain dressing integrity.

- · Low profile and small footprint enable the site to be easily dressed
- Downward angled tubing to help maintain dressing integrity
- · Audible, tactile and visual click to confirm engaged safety mechanism
- Dual lumen port adaptable to enable simultaneous infusions
- Reduces risk of injury and exposure to bloodborne pathogens





MiniLoc® Safety	Infusion Set WITH Y-S	Site & Medegen™ Needleles	s Injection Cap
Order No.	Gauge	Needle Length	Qty
S02319-10	19Ga	1"	20/CS
S02319-75	19Ga	0.75"	20/CS
S02320-10	20Ga	1"	20/CS
S02320-15	20Ga	1.5"	20/CS
S02320-50	20Ga	0.5"	20/CS
S02320-75	20Ga	0.75"	20/CS
S02322-10	22Ga	1"	20/CS
S02322-50	22Ga	0.5"	20/CS
S02322-75	22Ga	0.75"	20/CS



MiniLoc® Safety Infusion Set WITHOUT Y-Site					
Order No.	Gauge	Needle Length	Oty		
0632234	22Ga	0.75"	20/CS		
0632010	20Ga	1"	20/CS		
0632034	20Ga	0.75"	20/CS		
0632050	20Ga	0.5"	20/CS		
0632210	22Ga	1"	20/CS		
0632250	22Ga	0.5"	20/CS		

HCT Peristaltic Pump Sets & Single-Use Systems (SUS)

Compatible with Top Brands (as listed below)

	Order No.	Description	Oty
	HCT11	Fluid Transfer Peristaltic Tubing Set with Vented Spike / Luer Lock (Compatible with Baxa/Baxter Products)	10/CS
	HCT21	Fluid Transfer Peristaltic Tubing Set Luer Lock / Luer Lock (Compatible with Baxa/Baxter Products)	10/CS
	НСТЗ1А	Fluid Transfer Peristaltic Tubing Extension Set with ABS Luer Lock to ABS Luer Lock, Low Priming Volume (Compatible with Baxa/Baxter Products)	10/CS
60%,	НСТ86	Fluid Transfer Peristaltic Tubing Extension Set with Male Luer Lock to Female Luer Lock (Compatible with Baxa/Baxter Products)	50/CS
	НСТ87А	Fluid Transfer Peristaltic Tubing Repeater Extension Set with ABS Luer Lock to ABS Female Luer Lock (Compatible with Baxa/Baxter Products)	50/CS
	НСТ29	Fluid Transfer Peristaltic Tubing Set Add-On with Vented Spike / Female Luer Lock (Compatible with Baxa/Baxter Products)	50/CS
	HCT550	Fluid Transfer Peristaltic Tubing Set Add-On with Male Luer Lock to Male Luer Lock - 60" (Compatible with Baxa/Baxter Products)	50/CS
The state of the s	HCTPA01	PharmAssist Fluid Transfer Peristaltic Tubing Set - Single with Spike / Luer Lock, Low Priming Volume (Compatible with ICU PharmAssist)	10/CS
	HCTPA02	PharmAssist Fluid Transfer Peristaltic Tubing Set - Double with Spike / Luer Lock, Low Priming Volume (Compatible with ICU PharmAssist)	10/CS
	НСТРАОЗ	PharmAssist Fluid Transfer Peristaltic Tubing Set - Triple with Spike / Luer Lock, Low Priming Volume (Compatible with ICU PharmAssist)	10/CS


HCT Custom Peristaltic Pump Sets & Single-Use Systems (SUS)

HCT Can Meet Your Complex Configuration Needs

HCT is available for consultation to meet your design requirements.



Below is a custom peristaltic pump set & single-use system (SUS) that HCT created for a client.



No.	Park Description	Material	Remarks
_			
1	3L EVA BAG	SANDED	30um
2	COEXTRUSION TUBE+MALE LUER		ID:6.5MM / OD:8.5MM / LENGTH:3CM LUER:5.0MM
3	FEMALE LUER (X2)	ABS	6.4MM
4	SILICONE TUBE (X2)	SILICONE	ID:6.4MM OD:9.5MM /LENGTH:6.4CM
5	CONNECTOR	PP	7.9MM x 6.4MM
6	SILICONE TUBE	SILICONE	ID:4.8MM OD:8.0MM /LENGTH:110CM
7	MALE LUER	PC	6.4MM
8	H CONNECTOR	ABS	BLUE
9	CONNECTOR	PP	7.9MM x 14.2MM
10	SILICONE TUBE	SILICONE	ID:12.7MM OD:19.05MM /LENGTH:10.16CM
11	CAPSULE FILTER1	707 (PP housing PES 0.22 Barbed ha	Filtration area: 570cm2 ose ends)
12	SILICONE TUBE (X2)	SILICONE	ID:6.4MM OD:11.2MM LENGTH:7CM
13	CAPSULE FILTER2	L707 (PP housing PES 0.22 Barbed ho	Filtration area: 2041cm2 ose ends)
14	FLANGE	PP	
15	SILICONE GASKET	SILICONE	
16	CLAMP	ABS	
17	END CAP	PP	
18	Metal Clamp (2X)	304	(0010.5-505R) 105
19	Metal Clamp (2X)	304	(0012.3-706R) 123
20-23	Metal Clamp (1X)	304	
24	Metal Clamp (3X)	304	(0015.7-706R) 157
25	Metal Clamp (1X)	304	(0014.2-706R) 142
26	PE BAG WITH TIE (2X)	PE+NYLONE	

Compatible with Brands Like:

- Bausch
- Cole-Parmer
- Flexicon
- Fisherbrand
- & More

Advancing the Delivery of Infusion Therapy

For over 20 years, Moog Medical has been designing industry-leading infusion pumps. Our infusion expertise and collaboration with customers and patients benefit healthcare delivery and enhance caregiver and patient outcomes.





CURLIN 6000 CMS Ambulatory Infusion Pump

The 6000 Clinical Management System (CMS) is a truly ambulatory multi-therapy electronic infusion device capable of Continuous, PCA, PCEA, Subcutaneous, TPN, Intermittent, and Variable modes.

Order No.	Description	Oty
360-1400P	Curlin CMS-6000 Pump	l/each
360-1400PE	Curlin CMS-6000 Pump	1/each



CURLIN PainSmart IOD Pain Management Electronic Infusion Pump

The CURLIN PainSmart IOD (Information on Demand) is built on the proven CURLIN 6000 ambulatory infusion platform to bring a unique electronic infusion device designed to safely deliver PCA, PCEA, and Subcutaneous infusions.

Order No.	Description	Oty
360-1300P	Curlin PainSmart IOD Pump	1/each



CURLIN PainSmart IOD Pain Management Electronic Infusion Pump


The PainSmart IOD (Information on Demand) is a unique electronic infusion device that is capable of delivering PCA, PCEA, and Subcutaneous infusions while improving outcomes and reducing costs. Designed to be used specifically for epidural infusions.

Order No.	Description	Oty
360-1300E	Curlin Epidural IOD Pump	1/each

HCT CURLIN Administration Pump Sets


Administration Pump Sets For Use with CURLIN Pumps

All administration pump sets are non-DEHP PVC and are not manufactured with rubber latex. They feature integral free-flow protection



HCTF22-PSMC Shown as Example

CURLIN Infusion Administration Sets from HCT




- · Administration pump sets are for use with CURLIN pumps.
- · Administration pump sets have a non-vented bag spike.
- NOTE: Measurements shown in the administration set descriptions below indicate the total length of the set in meters (and inches), and fill volume in milliliters.

Order No.	CURLIN No.	Description	Size	Oty
HCT-PSMC	340-4114	Straight set with slide clamp, and male luer with vented cap	2.3m/3.4mL	20/CS
HCTBC-PSMC	340-4166	Straight set with slide clamp, anti-siphon valve, and male luer with vented cap	2.3m/3.7mL	20/CS
HCTF12-PSMC	340-4128	With 1.2 micron air-eliminating filter, slide clamp, and male luer with vented cap	2.5m/7.1mL	20/CS
HCTF12BC-PSMC	340-4128V	With 1.2 micron air-eliminating filter, slide clamp, male luer with vented cap, and add-on check valve (V)	2.5m/7.lmL	20/CS
HCTF22-PSMC	340-4130	With 0.2 micron air-eliminating filter, slide clamp, and male luer with vented cap	2.5m/6.8mL	20/CS
HCTF22BC-PSMC	340-4130V	With 0.2 micron aireliminating filter, slide clamp, male luer with vented cap, and add-on check valve (V)	2.5m/6.8mL	20/CS

CURLIN Infusion Administration Tubing Sets

All CURLIN infusion administration sets are non-DEHP PVC, are not manufactured with rubber latex, and feature integral free-flow protection. All administration sets can be used with any CURLIN infusion pump.



CURLIN Infusion Administration Tubing Sets with Non-Vented Bag Spike - Features Male Luer with Vented Cap **Epidural** Y-Site Needleless Micron Anti-Siphon Size Order No. Set Port Port Filter Valve Description Qty 340-4114 N/A 2.3 m /3.4 mL 20/CS No No No No 340-4126 2.3 m /3.7 mL 20/CS Yes No No 0.2 No 340-4128 1.2 2.5 m/7.1 mL 20/CS No No No No 340-4130 2.5 m/6.8 mL 20/CS No No No 0.2 No 2.5 m/4.2 mL 340-4133 N/A 20/CS No No Yes No 340-4134 No Yes No N/A No 2.5 m/3.9 mL 20/CS 340-4165 2.4 m/4.1 mL 20/CS Yes Yes No 0.2 Yes 340-4166 2.3 m/3.7 mL N/A Yes 20/CS No No No 340-4168 No Yes No N/A Yes 2.5 m/4.1 mL 20/CS 340-4173 1.2 2.4 m/5.1 mL 20/CS No No No Yes 340-4174 No No No 0.2 Yes 2.4 m/5.1 mL 20/CS

CURLIN Infusion Administration Tubing Sets (No Y-Site) - Features Male Luer with Vented Cap							
Order No.	Epidural Set	Description	Needleless Port	Micron Filter	Anti-Siphon Valve	Size	Qty
340-4115	No	With Female Luer	No	N/A	No	2.2 m /3.4 mL	20/CS
340-4144	Yes	Vented Vial Spike	No	0.2	No	2.3 m/4.1 mL	20/CS

CURLIN	N Infusion Adn	ninistration T	ubing Sets with	Check-Valve	e - Features Mal	le Luer with Vented (Cap
Order No.	Epidural Set	Y-Site Port	Needleless Port	Micron Filter	Anti-Siphon Valve	Size Description	Oty
340-4128V	No	No	No	1.2	No	2.5 m/7.1 mL	20/CS
340-4130V	No	No	No	0.2	No	2.5 m/6.8 mL	20/CS

BD PosiFlush™ Saline & Heparin Syringes

BD PosiFlush™ Normal Saline Syringe

- BD PosiFlush™ Prefilled Saline Syringe complies with major PICC manufacturer recommendations for flushing
- · Improves clinician efficiency and workflow
- Talk to your sales rep about product consultation, product programs and availability



BD PosiFlush™ Saline Syringes with 10 mL Diameter				
Order No.	Description	New NDC #	Qty	
306544	3 mL Normal Syringe	08290-3065-44	30/Tray - 480/CS	
306545	5 mL Normal Syringe	08290-3065-45	30/Tray - 480/CS	
306546	10 mL Normal Syringe, Standard Plunger Rod	08290-3065-46	30/Tray - 480/CS	



BD PosiFlush™ Prefilled Heparin Lock Flush Syringe

Available in two concentrations (10 USP and 100 USP) in 3mL and 5mL syringe sizes and fill volumes to help support your catheter maintenance practice. It may help maintain catheter patency by locking vascular access devices, when used in accordance with your institution access maintenance protocol.


Order No.	Description	Heparin Solution	Oty
306413	3 mL Syringe 3 mL Heparin Fill	10 USP units/mL	30/Box - 480/CS
306414	5 mL Syringe 5 mL Heparin Fill	10 USP units/mL	30/Box - 480/CS
306423	3 mL Syringe 3 mL Heparin Fill	100 USP units/mL	30/Box - 480/CS
306424	5 mL Syringe 5 mL Heparin Fill	100 USP units/mL	30/Box - 480/CS



- Sterile, single patient use connector for needle-free access
- Placed between the existing IV extension set and general IV tubing connection intended to be used for delivery of fluid to/from an IV catheter. Designed to avoid unscheduled IV starts
- Can be used during direct injection, intermittent infusion, and continuous infusion and decreases exposure to sharps injuries



Orchid SRV (Safety Release Valve)



Orchid SRV from Linear Health Services

Order No.	Materials /Description	Oty
1812-B300 (Rev D)	Silicone, Polycarbonate • Latex/DEHP Free & Non-Metallic	100/CS
	 Individually packaged. 	

Performance Specs

Priming Voume:

0.182 mL

Residual Volume following Separation:

0.058 mL

Flow Path:

In-line proprietary design

Disconnect Tension: **Max 3.25 lbs**



Galt Vascular & Interventional Medical Devices

A leading global provider of vascular and other access products for a range of interventional and endovascular procedures.

- Interventional Radiology/Endovascular
- Interventional Cardiology/EP
- Vascular Access/IV




Please Contact Your Local Sales Rep About Pricing & Availability

























Orders will ship the same day if placed before 4 PM EST.

Talk to your sales rep about product programs and availability

To Learn More or Place an Order, Please Call Your Local Sales Rep:



Office: 508-881-6400 Fax: 508-881-3555

cs@hctsolutions.com

www.hctsolutions.com